

# INDEX MAPS.

## T.31N, R.9E. 2<sup>nd</sup> Mer.

*Meadows 106*

|    |    |    |        |     |        |     |         |     |        |     |     |    |
|----|----|----|--------|-----|--------|-----|---------|-----|--------|-----|-----|----|
| 79 | 6  | 99 | 5      | 104 | 4      | 102 | 3       | 101 | 2      | 100 | 1   | 76 |
|    | 98 |    | 99-104 |     | 99-103 |     | 99-102  |     | 99-101 |     | 100 |    |
| 78 | 7  | 98 | 8      | 104 | 9      | 102 | 10      | 101 | 11     | 100 | 12  | 76 |
|    |    |    |        |     |        |     |         | 120 |        | 120 |     |    |
|    | 97 |    | 105    |     |        |     | 103-123 |     | 121    |     |     |    |
| 78 | 18 | 97 | 17     | 105 | 16     |     | 15      | 121 | 14     | 120 | 13  | 75 |
|    | 96 |    | 96     |     |        |     | 123     |     | 122    |     | 119 |    |
| 78 | 19 | 96 | 20     |     | 21     |     | 22      | 122 | 23     | 119 | 24  | 75 |
|    | 95 |    | 95     |     |        |     |         |     | 123-90 | 90  | 90  |    |
| 77 | 30 | 94 | 29     |     | 28     |     | 27      | 91  | 26     | 89  | 25  | 74 |
|    | 94 |    | 93     | 93  |        | 92  | 92      |     | 91     |     | 89  |    |
| 77 | 31 | 93 | 32     | 92  | 33     | 91  | 34      | 90  | 35     | 89  | 36  | 74 |
|    | 72 |    | 72     |     | 72     |     | 71      |     | 71     |     | 71  |    |

## T.32N, R.9E. 2<sup>nd</sup> Mer.

*Meadows 157*

|     |     |     |     |     |     |     |     |     |     |     |     |            |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------------|
|     | 132 | 132 | 131 | 131 | 131 | 130 |     |     |     |     |     |            |
| 133 | 6   | 156 | 5   | 150 | 4   | 147 | 3   | 143 | 2   | 139 | 1   | 128        |
|     | 156 |     | 155 |     | 150 |     | 146 |     | 142 |     | 138 |            |
| 133 | 7   | 155 | 8   | 150 | 9   | 146 | 10  | 142 | 11  | 138 | 12  | 128<br>129 |
|     | 155 |     | 154 |     | 149 |     | 146 |     | 142 |     | 137 |            |
| 133 | 18  | 154 | 17  | 149 | 16  | 145 | 15  | 141 | 14  | 137 | 13  | 128<br>129 |
|     | 154 |     | 153 |     | 149 |     | 145 |     | 141 |     | 137 |            |
| 134 | 19  | 153 | 20  | 148 | 21  | 145 | 22  | 141 | 23  | 136 | 24  | 128<br>129 |
|     | 153 |     | 152 |     | 148 |     | 144 |     | 140 |     | 136 |            |
| 134 | 30  | 152 | 29  | 148 | 28  | 144 | 27  | 140 | 26  | 136 | 25  | 127<br>130 |
|     | 151 |     | 152 |     | 147 |     | 144 |     | 139 |     | 135 |            |
| 134 | 31  | 151 | 32  | 147 | 33  | 143 | 34  | 139 | 35  | 135 | 36  | 127<br>130 |
|     | 127 |     | 126 |     | 126 |     | 126 |     | 125 |     | 125 |            |

The figures on the lines refer to the page.

Township N<sup>o</sup> 31 North of Range N<sup>o</sup> 9 East T<sup>h</sup> Mer. Indiana 71

South Boundary

- West On South Boundary of Sec. 36. var. 6.25' E  
 15.72 An Elm 13 in. diam.  
 35.10 A B. Ash 14 " "  
 40.00 Set a g. Sec. post from which  
 an Elm 12 in. diam. bears N. 83° E. 45 links dist. &  
 a Sugar 14 " " " N. 25° W. 27 " "  
 55.44 A Beech 14 " "  
 57.00 Enter S. Prairie  
 80.00 Left the Prairie & set Post cor. to Sec. 35 & 36 from which  
 an Elm 24 in. diam. bears North 50 links dist. &  
 a Qr 10 " " " N. 18° W. 25 " "  
 Land level 2<sup>nd</sup> rate. Wet & swampy. Timber. Ash.  
 Beech & Elm. Underg<sup>th</sup>. Ironwood & Blk. Hawth.

- West On South Boundary of Sec. 35.  
 28.45 A Beech 20 in. diam.  
 40.00 Set a g. Sec. post from which  
 a Maple 8 in. diam. bears N. 78° E. 44 links dist. &  
 a Willow 13 " " " N. 61° W. 40 " "  
 64.65 A Buckeye 12 in. diam.  
 80.00 Set a Post cor. to Sec. 34 & 35 from which  
 an Q. Oak 44 in. diam. bears N. 26° E. 15 links dist. &  
 a Hickory 12 " " " N. 71° W. 54 " "  
 Land level 2<sup>nd</sup> rate. Timber. Oak. Beech. Ash  
 Hickory. Underg<sup>th</sup>. Blk. Hawth. & Ironwood.

- West On South Boundary of Sec. 34  
 17.00 Down Stream. Course West  
 40.00 Set a g. Sec. post from which in water being so  
 high that no post could be set nor bearing trees  
 taken  
 67.43 An Elm 48 in. diam.  
 80.00 Set a Post cor. to Sec. 33 & 34 from which  
 a Gycamore 30 in. diam. bears N. 66° E. 53 links dist. &  
 an Elm 5 " " " N. 32° W. 18 " "



## T. 31 N. R. 9 E. 2nd Mer. Indiana

- West On South Boundary of Sec 33  
 2. 00 A Stream 50 links wide. Course S W.  
 14. 70 A W. Oak 24 in. diam.  
 40. 00 Set a g. Sec Post from which  
 a Buck 8 in. diam. bears N. 67 E. 37 links dist &  
 a Do. 12 " " " N. 70 W. 9 " "  
 51. 06 A Buck 12 " "  
 72. 89 A Sugar 21 " "  
 80. 00 Set a Post cor. to Sec. 32 & 33 from which  
 a Buckeye 11 in. diam. bears N. 49 E. 11 links dist &  
 an Ironwood 8 " " " N. 84 W. 47 " "  
 Land level 81<sup>st</sup> rate. Timber. Ash. Buck B.  
 Walnut. Cherry & Buckeye. Underg. Buckeye  
 and Spice.

- West On South Boundary of Sec 32  
 16. 58 A Buckeye 12 in. diam.  
 33. 83 A Do 20 " "  
 40. 00 Set a g. Sec Post from which  
 a Cherry 24 in. diam. bears N. 86 E. 4 links dist &  
 a Buckeye 10 " " " N. 37 W. 10 " "  
 56. 37 A Buck 30 " "  
 66. 00 Set a Post cor. to Sec. On the South Bank of El  
 River: from which  
 a Lynn 21 in. diam. bears N. 57 E. 9 links dist &  
 a Buckeye 13 in. " " N. 57 W. 6 " "  
 Land & Timber same as before

Apr. 20<sup>th</sup> 1828

Began at Post on the Left Bank of El River  
 which is 26 chains from the g. Sec Corner on the  
 South Boundary of Sec 32 Var. 6. 45 E

- 80 00 Cor. to Sec. 31 & 32 in El River

- West On South Boundary of Sec 31  
 3 00 Left the River & set a Post on the Right Bank  
 of same from which

# T 31 N. R 9 E 2nd Mer. Indiana

73

- a Red Oak 14 in. diam. bears S. 37 1/2 W. 16 links dist. &  
 a B. Oak 11 " " " N 48 W 22 " "
- 10 49 A W. Oak 18 " "
28. 00 Near East River
40. 00 Set a q. Sec. post from which  
 a W. Oak 30 in. diam. bears N. 80 1/2 E 62 links dist. &  
 a Spruce 7 " " " N 49 1/2 W 30 " "
42. 43 Set a Post on the Right Bank of East River. Course S. W.  
 from which  
 a Buckeye 7 in. diam. bears N. 41 E. 13 1/2 links dist. &  
 a Spruce 6 " " " S 42 E 8 " "
44. 00 Left Bank of the River.
- 52 75 Left Bank of " " Course S. W.
53. 00 Set a Post on the Right Bank of the River.  
 from which a  
 Buckeye 10 in. diam. bears S. 42 E. 7 links dist. &  
 a Spruce 8 " " " N. 36 W. 16 " "
- Note No posts set on the Left Bank of East River on the  
 South Boundary of Sec 31. T 31 N R 9 E as  
 supposed not necessary as the River had been mean-  
 -sured on S. E. side.
57. 02 To a Maple 8 in. diam. Corner on the Right Bank  
 of River. Course N. W.
58. 00 Left Bank of the River
68. 40 Left Bank of River. Course South
69. 50 Set a Post on the Right Bank of River. from which  
 a Buckeye 10 in. diam. bears N. 19 W. 75 1/2 links dist. &  
 an Ash 6 " " " N. 71 1/2 W. 65 " "
77. 00 Set a Post on the Right Bank of the River Course N. W.  
 from which  
 a Maple 9 in. diam. bears S. 27 E 6 links dist. &  
 an Ash 4 " " " S 2 E 11 " "
78. 10 Left Bank of the River
79. 97 Intersect the Range line 5 ch. & 97 links South of  
 the Post said to be set at 578 ch. & 50 links on the  
 Left Bank of the River, on 7. 47 - South of 6. miles

## T31 N. R 9 E Ind Mer. Indiana.

Set a Post cor. to Towns 30 & 31 North of Ranges 8 & 9 East, from which  
 an Elm 18 in. diam. bears N. 49 E. 11 links dist &  
 an Ash 4 " " S. 52 W. 45 " "  
 Land level & 1<sup>st</sup> rate. Timber. Oak. Ash. Elm.  
 Sycam. Ironwood. Maple & Buckeye. Underg<sup>th</sup>  
 same.

East Boundary

North On East Boundary of Sec 36. var. 6. 50 &  
 Began in a Willow Swamp  
 9. 00 Leave Willow Swamp  
 17. 32 A B. Oak 30 in. diam.  
 19. 50 Enter Willow swamp  
 29. 50 Leave the same  
 40. 00 Set a q. Sec. post from which  
 a W. Oak 16 in. diam. bears S. 46 W. 98 links dist &  
 a Cb 28 " " N. 48 W. 79 " "  
 44. 50 A Trail. Course N E.  
 48. 00 Another " N E.  
 53. 86 An Elm 26 in. diam.  
 80. 00 Set a Post cor. to Sec. 25 & 36 from which  
 an Ironwood 7 in. diam. bears S. 20 W. 46 links dist &  
 a W. Oak 26 " " N. 44 W. 15 " "  
 Land gently rolling. South 1/2 poor. North 1/2 1<sup>st</sup> rate.  
 Timber. Oak. Ash & Elm. Ironwood. Maple &c.

North On East Boundary of Sec 25  
 9. 00 Enter Willow Swamp  
 27. 50 Leave " "  
 28. 15 A W. Oak 10 in. diam.  
 30. 00 Enter Maple Swamp  
 40. 00 Set a q. Sec. post from which  
 a Maple 6 in. diam. bears S. 10 W. 33 links dist &  
 a Cb 7 " " N. 74 W. 29 " "  
 42. 00 Leave Maple Swamp

# 75

## T 31 N. R. 9 E 2nd Mer Indiana.

52. 40 A W. Oak 16 in. diam.  
 61. 38 A W. Ash 28 " "  
 80 00 Set a Post cor. to Sec. 24 & 25 from which  
 a W. Oak 20 in. diam. bears S 64° W. 12 links dis. &  
 a Do 38 " " " N. 19° W. 46 " "  
 Land level. South 1/2 poor. Timber Maple Elm &  
 Willow. North 1/2 1st rate. Timber Oak & Hickory.  
 Underg<sup>th</sup>. Hazle & Cherrwood & Oak.

- North On East side of Sec 24  
 32. 07 Intersect the S E line of Suck's Reserve 1. mile  
 & 75 chains & 75 links from the South West cor.  
 of said Reserve. Set a Post from which  
 an Aspen 7 in. diam. bears S 20° W. 279 links dis. &  
 a W. Oak 8 " " " S 79 1/2° E. 145 " "  
 39. 50 A Trail. Course N W  
 40. 00 Set a gr. Sec post from which  
 a W. Oak 25 in. diam. bears S 32° W. 17 links dis. &  
 a Do 14 " " " N. 17° W. 92 " "  
 42. 00 Opposite old Indian Megwam about 2 ch. to the  
 West of Line in the Reserve  
 52. 00 A Brook 6 links wide. Course West.  
 63. 50 A W. Oak 24 in. diam.  
 80. 00 Set a Post cor. to Sec. 13 & 24 from which  
 a W. Oak 30 in. diam. bears S 27° W. 126 links dis. &  
 a Do 26 " " " N 53 1/2° W. 115 " "  
 Land gently rolling 2nd rate. Shrubby timbered  
 with W. Oak. Underg<sup>th</sup>. Hazle & Aspen

- North On East Boundary of Sec 13  
 25 00 A Trail. N W  
 40 00 Set a gr. Sec post in the Reserve. from which  
 a W. Oak 18 in. diam. bears N. 19° W. 72 links dis. &  
 a Do 16 " " " S 60° W. 165 " "  
 49. 00 Enter Indian improvements  
 50. 00 A Trail. E & W



# John A. R. G. & J. M. Anderson

55.00 An Indian Migrants 9 or 10 chains East of line

59.00 Leave Indian improvements

66.97 A Hickory 20 in. diam.

76.00 Enter River 75 links wide. Course N.W.

80.00 Set a Post cor. to Sec. 12 & 13 from which

a W. Ash 7 in. diam. bears N. 25 W. 18 links dist &

a Do 6 " " " S 40 W 12 " "

Land Rolling 1<sup>st</sup> rate Thinly timbered with Oak

Ash Elm. & Greenwood Underg. Plum & Huckle.

North On East Boundary of Sec. 12

16.20 A W. Oak 20 in. diam.

40.00 Set a q. Sec post from which

a Q. Oak 4 in. diam. bears S. 19 W. 59 links dist &

a Do 5 " " " N 43 W 9 " "

48.50 Enter Mt. Prairie

62.50 Leave the same

62.50 A W. Oak 12 in. diam.

71.80 Intersect the N.W. line of Sack's Reserve two miles and 65 chains and 80 links from the most North West cor. of said Reserve. Set a Post from which

a W. Oak 26 in. diam. bears S. 7 1/2 W. 85 links dist &

a Do 12 " " " N. 37 1/2 E. 59 " "

80.00 Set a Post cor. to Sec. 1. & 12 from which

a W. Oak 22 in. diam. bears S. 48 W. 34 links dist &

a Do 12 " " " S 89 W. 32 " "

Land Rolling 2<sup>nd</sup> rate Timber, Oak & Hickory;

North On East Boundary of Sec. 1

20.58 A W. Oak 12 in. diam.

32.00 Enter Marsh

37.00 Leave the same

40.00 Set a q. Sec post from which

a W. Oak 7 in. diam. bears S. 25 W. 27 links dist &

a Do 10 " " " N 78 W 48 " "



# 77

## T 31. S. R 9 E. 2nd Mer. Indiana

57. 98 A Hickory 8 in. diam.  
 71. 19 A W. Oak 18 " "  
 80. 00 Set Temp. Town Corner  
 Land as much as before  
 Oct 31<sup>st</sup> 1833

### West Boundary var. 6.30 E

- North On East Boundary of Sec 38 T 31 S R 8 E.  
 59. 3 Old Meander Post on the Left Bank of Owl River  
 6. 73 Set a Post on the Right Bank of the river, from which  
 an Elm 4 in. diam. bears N. 29 E. 38 links dist. &  
 a Do. 8 " " " N. 36 1/2 W. 53 " "  
 24. 62 A B. Walnut 7 in. diam.  
 34. 69 A Beech 8 " "  
 40. 00 Set a Beech 8 " " Cor. to q. Section  
 57. 95 An Elm 10 in. diam.  
 70. 88 A Beech 24 " "  
 80. 00 Set a Post cor. to Sec. 25 & 36 from which  
 a Beech 7 in. diam. bears S. 23 W. 38 links dist. &  
 a Do. 5 " " " N. 67 W. 17 " "  
 Land rolling & 1<sup>st</sup> rate. Timber. Oak. Elm  
 Ash. Maple. B. Walnut Beech. Sugar. and  
 Ironwood. Undergr. much the same.

### North On East Boundary of Sec 25 T 31 S R 8 E.

10. 25 An Elm 8 in. diam.  
 40. 00 Set a q. Sec post from which  
 a Beech 9 in. diam. bears S. 37 W. 110 links dist. &  
 a Do. 10 " " " N. 39 W. 119 " "  
 57. 94 A W. Oak 32 in. diam.  
 70. 59 An Ash 10 " "  
 80. 00 Set a Post cor. to Sec. 24 & 25 from which  
 a Maple 10 in. diam. bears N. 87 W. 20 links dist. &  
 a B. Ash 10 " " " S. 7 W. 18 " "  
 Land 2<sup>nd</sup> rate. Timber. Oak. Ash. Maple  
 Sugar. Beech & Ironwood

## T 31 N. R. 9 E 2nd Mer. Indiana

North On East Boundary of Sec 24 T 31 N R 8 E,  
 20.13 A W. Oak 30 in. diam.  
 30.23 A W. Oak 10 " "  
 40.00 Set a q. Sec post from which  
 a W. Oak 20 in. diam. bears S. 13 W. 93 links dist &  
 a B Oak 7 " " " N 67 1/2 W 28 " "  
 55.00 Enter Miller Swamp.  
 65.38 A W. Ash 12 in. diam.  
 74.50 Leave the Swamp.  
 80.00 Set a Post cor. to Sec. 13 & 24 from which  
 a W. Oak 16 in. diam. bears S. 26 W. 49 links dist &  
 a Co 20 " " " N. 70 W. 24 " "  
 Land level 2nd rate. (Swamp excepted)  
 Timber as before.

North On East Boundary of Sec 13 T 31 N R 8 E.  
 5.00 Enter Cranberry Marsh  
 21.00 Leave same  
 21.87 A W. Oak 7 in. diam.  
 40.00 Set a q. Sec post from which  
 a W. Oak 32 in. diam. bears S. 4 W. 7 links dist &  
 a Hickory 6 " " " N. 51 1/2 W. 25 " "  
 53.00 Enter Marsh  
 69.00 Leave the same  
 72.82 A W. Oak 34 in. diam.  
 80.00 Set a Post Cor. to Sec. 12 & 13 from which  
 a W. Oak 12 in. diam. bears S. 5 W. 22 links dist &  
 a Co 18 " " " N. 33 W. 43 " "  
 Land Rolling & 2nd rate Timber Oak & Hickory.

North On East Boundary of Sec 12 T 31 N R 8 E.  
 7.50 Enter Marsh  
 26.00 Leave same  
 28.20 A Hickory 10 in. diam.  
 40.00 Set a q. Sec post from which  
 a Hickory 10 in. diam. bears S. 10 W. 56 links dist &

The Subdivisions here, which purport  
to be of T 31 R 9 are the subdivisions  
of T 31 R 10 - transcribed here in  
mistake.

# T 31 N. R. 9 E. 2<sup>nd</sup> Mer. Indiana

79

- a B. Oak 26 in. diam. bears N. 83 W. 21 links dist.  
 54. 72 An Elm 12 " " "  
 81. 00 Set a Post cor. to Sec. 1 & 2 from which  
 a W. Oak 6 in. diam. bears S. 8 W. 18 links dist &  
 a Beech 10 " " " N. 66 W. 38 " "  
 Land &c much the same

North On East Boundary of Sec. 1. T 31 N R 9 E.

10. 78 A Beech 24 in. diam.  
 19. 50 A Brook 8 links wide. course S. W.  
 28. 31 A W. Ash 10 in. diam.  
 40. 00 Set a gr. Sec. post from which  
 a B. Ash 14 in. diam. bears S. 58 W. 23 links dist &  
 a W. Oak 12 " " " N. 81 W. 27 " "  
 57. 18 A Beech 20 " "  
 65. 66 A W. Oak 12 " "  
 81. 00 Set Temp. Iron Corner  
 Land Rolling 2<sup>nd</sup> rate, Timber Ash. Elm. Oak  
 & Ironwood. Underg<sup>th</sup> much the same.  
 Oct 26<sup>th</sup> 1833.

Surveyed by  
 Sylvester Gibley D<sup>r</sup>.

## Subdivisions

var. 5' 45' E

May 10<sup>th</sup> 1834

- North Between Sec. 35 & 36  
 10. 30 A Beech 15 in. diam.  
 40. 00 Set a gr. Sec. post from which  
 a Hickory 16 in. diam. bears N. 24 W. 32 links dist &  
 a W. Oak 24 " " " S. 57 E. 12 " "  
 A Do 40 " "  
 Set a Post Cor. to Sec. 25. 26. 35. & 36 from which  
 a Dogwood 11 in. diam. bears N. 64 E. 18 links dist &  
 a Beech 11 " " " S. 57 W. 62 " "  
 Land level & poor inclining to west timber  
 Beech. Oak. Hickory. Elm. Maple &c. Underg<sup>th</sup>  
 Dogwood. Beech. Elm. Hickory. Ironwood. &c.

The notes on this and several following pages, stricken out, are for T 31 N R 10 E here in mistake.

These are subdivisions of T 31 N R 10



## T 31. N. R 9 E 3rd Mer. Indiana

East On Random between Sec. 25 & 30  
 70. 00 A Brook 15 links wide. Course North.  
 81. 00 Intersect the N & S line 55 links South of Post.  
 Land level & heavy timbered inclining to West.

West Corrected between Sec. 25 & 30  
 21. 00 An Ash 18 in. diam.  
 40 50 Set a g. Sec post at a cer. dist. from which  
 a Hickory 20 in. diam. bears N 80 W 35 links dist. &  
 a Buck 18 " " " S 69 E 30 " "  
 61 25 An Ash 11 " "  
 81. 00 To Sec. corner

North Between Sec. 25 & 26  
 18. 70 An Ash 20 in. diam.  
 40. 00 Set a g. Sec post from which  
 a Buck 18 in. diam. bears S 58 W 14 links dist. &  
 a Co 20 " " " N 18 E 26 " "  
 58. 00 A Buck 20 " "  
 67. 00 A Brook N. W. which spreads into a swamp  
 and is for some distance lost in the Prairie.  
 80 00 Set a Post cor. to Sec. 23. 24. 25 & 26 from which  
 an Ash 14 in. diam. bears E. 72 E 10 links dist. &  
 an Aspin 10 " " " N. 72 W. 12 " "  
 Land inclining to West. Timber as last described

East On Random between Sec. 24 & 25  
 10. 00 Enter Willow Swamp  
 57. 00 Left Co. Co.  
 81. 25 Intersect the N & S line or E. Boundary N. 74  
 links South of the Post.

West Corrected between Sec. 24 & 25  
 40. 63 Set a g. Sec post at a cer. dist. from which  
 an Aspin 10 in. diam. bears S 58 E 2. 63 links dist. &  
 a W. Oak 20 " " " N 11 E 2. 25 " "



# T 31 N R 9 E. 3rd Mer. Indiana

81

81. 25 To Sec. Corner

North Between Sec. 23 & 24

25 79 A W. Oak 20 in. diam.

40. 00 Set a g. Sec. post from which  
a B. Oak 20 in. diam. bears N 85 W 26 links dist. &  
an Aspen 12 " " " S 70 E 54 " "

42. 00 Enter Mt. Prairie

54. 00 Left " "

63 54 A Beech 23 in. diam.

80. 00 Set a Post cor. to Sec. 13. 14. 23 & 24 from which  
an Ironwood 12 in. diam. bears S 11 E 16 links dist. &  
a Lymn 15 " " " N. 48 E. 25 " "  
Land 2<sup>nd</sup> rate. Timber. Beech. Oak. Ash &c.

East On Ransom between Sec. 13 & 24.

45. 00 Enter west skirt of Prairie

62. 00 Left same

74. 00 Enter Prairie

81. 45 Intersect the East Boundary 63 links South of  
Mound in Prairie.

Land Rolling poor Oak land.

West Connected between Sec. 13 & 24

40 72 1/2 Set a g. Sec. post at aver. dist. from which  
a B. Oak 25 in. diam. bears S 25 W. 9 links dist. &  
a W. Oak 20 " " " N 24 E 31 " "

62. 15 A Beech 24 " "

81. 45 To Sec. Corner

May 11<sup>th</sup> 1834.

North Between Sec. 13 & 14

17. 30 A Buckeye 12 in. diam.

40. 00 Set a g. Sec. post. from which  
a B. Oak 20 in. diam. bears S 17 E. 154 links dist. &  
a Hickory 15 " " " North 5. 55 " "

In wet swamp & Prairie.

T<sup>31</sup>. A. R. 9 E. T<sup>34</sup> N. Indiana

65. 62 A B Oak 36 in. diam.  
 80. 00 Set a Post cor. to Sec. 11. 12. 13 & 14 from which  
 a W. Oak 24 in. diam. bears S 37 W 21 links dist. &  
 a Co 20 " " " N. 53 E. 67 " "  
 Land not described

East On Random between Sec. 12 & 13  
 80 50 Intersect the N & S line or E Boundary 170 links  
 North of the Post  
 Oak & Hickory Barrens. No Undergr<sup>th</sup>. Poor Land.

West Corrected between Sec. 12 & 13  
 20. 70 A Hickory 12 in. diam.  
 40 25 Set a gr. Sec. post at area dist. from which  
 a Hickory 22 in. diam. bears S 54 E. 37 links dist. &  
 a W. Oak 24 " " " N. 48 W 9 " "  
 60. 10 A W. Oak 24 " "  
 80. 50 To Sec. Corner.

North Between Sec. 11 & 12  
 18. 00 To Wayne trace. from Logansport. Course —  
 40. 00 Set a gr. Sec. post from which  
 a W. Oak 18 in. diam. bears S 71 E 13 1/2 links dist. &  
 a Co 50 " " " S 13 W 83 " "  
 75. 00 To Owl River 50 links wide. Course S W.  
 80. 00 Set a Post cor. to Sec. 1. 2. 11 & 12 from which  
 an Ash 15 in. diam. bears N. 85 E. 13 links dist. &  
 a Co 12 " " " N. 86 W. 4 " "  
 Barrens & wet Prairie

East On Random between Sec. 1 & 2  
 9. 00 To Owl River 50 links wide. Course S W.  
 79. 96 Intersect N & S line or E. Boundary 100 links S. of Post.  
 Poor Oak Barrens. no Under brush  
 East 1/2 mile good.

West Corrected between Sec. 1. & 2

19. 90 A Hickory 15 in. diam.

39. 98 Set a q. Sec. post at aver. dist. from which  
a Hickory 16 in. diam. bears S 5 E 42 links dist. &  
a W. Oak 22 " " " N. 15 E. 1.00 " "

79. 96 To Sec. Corners May 15<sup>th</sup> 1854

North Between Sec. 1 & 2

24. 23 An R Oak 28 in. diam.

40. 00 Set a q. Sec. post from which  
an Ash 16 in. diam. bears S 31 E. 39 links dist. &  
a Beech 24 in. " " N 53 W 32 " "

58 20 A Do 30 " "

91. 20 Intersect the line of Correction 75 links West of  
a q. Sec. corner where set a Post cor. to Sec. 1 & 2  
from which

a Beech 16 in. diam. bears S 32 E. 14 links dist. &  
a Do 13 " " " S. 10 W 14 " "

Land rolling and good. Timber - Beech. Oak.  
Hickory. Ash. Sugar.

West Between Sec. 2 & 11

16. 60 Touched the Right Bank of Cat River

36. 90 Intersect the East Boundary of Chapines Reserve  
14. 26 links from the South East cor. of where  
made Corner to Sections 2 & 11 from which  
a W. Oak 24 in. diam. bears S 25 E. 390 links dist. &  
a Do 15 " " " N 1 W 3.63 " "

North Between Sec. 34 & 35

19. 10 A W. Oak 22 in. diam.

40. 00 Set a q. Sec. post from which  
an Elm 12 in. diam. bears South 80 W. 9 lks. dist. &  
a Do 10 " " " N. 57 E. 7 " "

54. 70 An R. Oak 30 in. diam.

## T 31 N. R. 9. E. 2nd Mer. Indiana

80.00 Set a Post cor. to Sec. 26, 27, 34 & 35 from which  
 a Buckeye 14 in. diam. bears S. 41 W. 5 links dist. &  
 a Hickory 10 " " " N. 41 E. 5 " "  
 Land 2nd rate. Timber Buck

East On Random between Sec. 26 & 35  
 80.40 Intersect the E. Boundary. N & S line 78 links  
 South of the Post.  
 Land &c not described.

West Connected between Sec. 26 & 35  
 20.60 An Ash 12 in. diam.  
 40.20 Set a gr. Sec post from which  
 an Ironwood 10 in. diam. bears N. 69 E. 33 links dist. &  
 a W. Oak 60 " " " S. 30 E. 11 " "  
 60.60 A Hickory 14 " "  
 80.40 To Sec. corner

North Between Sec. 26 & 27  
 13.32 A Hickory 14 in. diam.  
 40.00 Set a gr. Sec post from which  
 an Ash 12 in. diam. bears S. 6 W. 27 links dist. &  
 a Buck 24 " " " N. 68 E. 19 " "  
 52.00 A Oak 20 " "  
 71.50 Enter Mt. Prairie  
 77.00 Left Oak?  
 80.00 Set a Post cor. to Sec. 22, 23, 26, 27 from which  
 an Elm 30 in. diam. bears N. 36 W. 28 links dist. &  
 an Ash 10 " " " S. 21 E. 27 " "  
 Land 2nd rate

East On Random between Sec. 23 & 26  
 1.00 Enter Mt. Prairie  
 22.00 Left same  
 55.00 Enter Willow Swamp.  
 80.60 Intersect the N & S line 40 links North of Post in



85

T 31 N. R 9 E. 2nd Mer. Indiana

Margin of Swamp.  
Land swampy intoto

West Corrected between Sec. 25 & 26.  
40. 30 Set a g. Sec post at aver. dist from which  
an Ash 15 in. diam. bears N. 16 E. 16 links dist. &  
an Elm 24 " " " N 16 W 5 " "  
80. 60 To Sec. Corner.

North Between Sec. 22 & 23  
13 45 A Hickory 12 in. diam.  
40. 00 Set a g. Sec post from which  
a Beech 20 in. diam. bears S. 14 E. 16 links dist. &  
a Linn 16 " " " S 86 E 14 " "  
51. 60 A Poplar 36 " "  
54. 50 Enter Wet Prairie  
67. 00 Left Do.  
80. 00 Set a Post cor. to Sec. 14. 15. 22 & 23 from which  
an Elm 16 in. diam. bears S. 69 E. 9 links dist. &  
a B. Walnut 16 in. " " N. 61 W. 46 " "  
Land not described

East On Random between Sec. 14 & 23  
80 75 Intersect the N. 7 S line at Post  
Land level. Most 1/2 mile 2nd rate. Last 1/2 poor.  
Dumler. Beech. Oak. Hickory. Elm. Ash. Ironwood  
Dogwood Hickory.  
May 13<sup>th</sup> 1834

West Corrected between Sec. 14 & 23  
22. 67 An Ash 7 in. diam.  
40 37 Set a g. Sec post at aver. dist from which  
a Beech 20 in. diam. bears S. 45 W. 11 links dist. &  
an Ash 18 " " " N 84 E 18 " "  
80 75 To Sec. Corner.



## T 31. N. R. 9 E. 3rd Mer. Indiana

North Between Secs 14 &amp; 15

9.80 A W. Oak 30 in. diam.

10.00 Set a g. the post from which

a W. Oak 18 in. diam. bears N. 45 E. 18 links dist. &amp;

a Co. 20 " " " N 66 W 20 " "

66.08 An R. Oak 12 in. diam.

80.00 Set a Post Cor. to Secs 10. 11. 14 &amp; 15 from which

an Elm 15 in. diam. bears S. 35 E. 5 links dist. &amp;

a Co. 13 " " " N. 15 W. 10 " "

Land poor Oak Barrens. intersperse with small  
not skirts of Prairie

East On Random between Secs 11 &amp; 14

29.00 Enter Wet Prairie

58.00 A Grove of Timber. 3.50 links wide.

78.00 Left the Prairie

80.90 Intersect the N. V. line 35 links North of Post  
Land not described

West Corrected between Secs 11 &amp; 14

21.90 A W. Walnut 28 in. diam.

40.45 Set a g. Set a g. the post at aver. dist. from which

an Aspen 10 in. diam. bears S. 45 W. 60 links dist. &amp;

a Co. 9 " " " S. 18 W. 38 " "

80.90 To the Corner.

North Between Secs 10 &amp; 11

23.80 A W. Oak 32 in. diam.

40.00 Set a g. the post from which

an Aspen 6 in. diam. bears N. 64 E. 24 links dist. &amp;

a W. Oak 18 " " " S. 11 E. 31 " "

50.00 Intersect the South line of Chapins Reserve

where set a Post cor. to Secs 10 &amp; 11 from which

a B. Oak 10 in. diam. bears N. 83 E. 55 links dist. &amp;

a Co. 9 " " " S. 46 E. 148 " "

Oak Barrens)

# 87

## T 31. N. R 9 E 2<sup>nd</sup> Mer. Indiana.

West Between the 10 115  
 9. 55 Intersect East line of Reserve 15.67 from the S.E.  
 Corner where made cor. to the 10 115 from which  
 a Willow 12 in. diam. bears West 41 links dist. &  
 a " 15 " " " S 55 W 54 " "  
 Land the same

North Between Secs. 33 & 34  
 22. 40 A Hickory  
 40. 00 Set a q. Sec. post from which  
 a Beech 20 in. diam. bears S. 10 W. 27 links dist. &  
 an Iron peg 8 " " " N. 1 E. 17 " "  
 49. 40 A W. Oak 26 " "  
 80. 00 Set a Post cor. to the 27. 28. 33 & 34 from which  
 a Beech 15 in. diam. bears N. 5 W. 6 links dist. & a  
 Water Beech 6 " " " S 19 E 12 " "  
 Land flat. South 1/2 mile inclining to the  
 North 1/2 Rolling. Timber Beech. Ash. Walnut.  
 Underg<sup>g</sup>. Buckeye Walnut. Hickory. &c.

East On Random between Secs. 27 & 34.  
 80 40 Intersect the N. 45 line 31 links North of the Post.  
 Land Rolling, 2<sup>nd</sup> rate. Timber Ash. Beech  
 Walnut, Oak. &c.

West Connected between Secs. 27 & 34.  
 20. 55 An H. Oak 30 in. diam.  
 40. 20 Set a q. Sec. post from which  
 a Buckeye 10 in. diam. bears N 5 E 21 links dist. &  
 an Ash 24 " " " S 23 E 20 " "  
 57 57 An H. Oak 18 " "  
 80. 40 To the Corner.

North Between Secs. 27 & 28  
 12. 40 An Ash 12 in. diam.  
 40. 00 Set a q. Sec. post from which

## T 31 N. R 9 E 3rd Mer. Indiana

|            |  |
|------------|--|
|            | an Ash 8 in. diam. bears S. 69 W 24 links dist, &<br>a Willow 5 " " " N. 59 E 4 " "  |
| 56. 00     | A Poplar 12 " "  |
| 80. 00     | Set a Post cor. to Sec? 21. 22. 27 & 28 from which<br>a Maple 12 in. diam. bears N. 17 W 8 links dist, &<br>an Elm 14 " " " S. 1 E. 10 " "                   |
|            | Land on the South 1/2 mile 2nd rate. North 1/2 Poor  |
| East       | On Random between Sec? 22 & 27   |
| 80 53      | Intersect the N & S line 8 links South of the Post.<br>Land on the West 1/2 mile rolling 2nd rate East 1/2 mile<br>along the Margin of wet Prairie or swamp. |
| W 56       | Connected between Sec? 22 & 27   |
| 21. 43     | A W. Oak 28 in. diam.  |
| 40. 26 1/2 | Set a q. Sec post at aver. dist. from which<br>an Ironwood 10 in. diam. bears S. 41 E. 32 links dist, &<br>a Buck 30 " " " N. 38 W 25 " "                    |
| 80. 83     | An Ironwood 8 in. diam.  |
| 80 53      | To Sec. corners  |
| North      | Between Sec? 21 & 22   |
| 13. 90     | A W. Oak 30 in. diam.  |
| 40 00      | Set a q. Sec post from which<br>a Hickory 20 in. diam. bears S 4 W 31 links dist, &<br>a Co 10 " " " S 75 E 21 " "   |
| 53. 40     | An Ash 12 " "  |
| 80. 00     | Set a Post cor. to Sec? 21 22. 15 & 16 from which<br>a W. Oak 17 in. diam. bears S 12 E. 46 links dist, &<br>a Co. 21 " " " N. 26 W 43 " "                   |
|            | Land poor. Timber Oak & Hickory.   |
| East       | On Random between Sec? 15 & 22   |
| 9. 75      | Enter Wet Prairie  |
| 38. 75     | Left same  |
| 79. 75     | Intersect the N & S line 42 links North of Post,   |

R. W. H. d

## Subdivisions.

North Between Sec. 35 & 36

19. 08 A W. Oak 36 in. diam.

46. 00 Set a gr. Sec. post from which  
a W. Oak 12 in. diam. bears N. 43 W. 32 links dist. &  
an Ash 16 " " " S. 11 E. 20 " "

54. 90 An Ash 20 " "

80. 00 Set a post cor. to Sec. 25 26. 35 & 36 from which  
a W. Oak 20 in. diam. bears N. 57 E. 34 links dist. &  
a B. Oak 11 " " " N. 35 W. 6 " "  
Land poor. Soil fr. W. Oak & Hickory  
Timber. Ironwood. Elm. Hickory. Beech. &c.

East On Random between Sec. 25 & 36

51. 00 Intersected the N. & S. line 2.85 links north of Post.  
Land poor. Undergr. close

West Corrected between Sec. 25 & 36

22. 09 An R. Oak 30 in. diam.

40. 50 Set a gr. Sec. post at area dist. from which  
a Beech 17 in. diam. bears N. 22 E. 10 links dist. &  
a Buckeye 14 " " " S. 67 E. 9 " "

51. 84 An Elm 14 " "

51. 00 To Sec. Corner

North Between Sec. 25 & 26

15. 95 A W. Oak 19 in. diam.

40. 00 Set a gr. Sec. post from which  
a Hickory 18 in. diam. bears S. 39 E. 24 links dist. &  
a Go 16 " " " S. 85 W. 10 " "

51. 50 A Slough or Brook in swamp. N. W.

80. 00 Set a post cor. to Sec. 23. 24. 25 & 26 from which  
a B. Oak 15 in. diam. bears S. 86 E. 90 links dist. &  
a W. Oak 30 " " " S. 75 W. 80 " "

Land poor. Timber Oak & Hickory. Undergr.  
Hazel. &c.



## T 31 N. R 9 E. Ind. Mer. Indiana.

East On Random between Sec. 24 & 25  
 40.00 Set a Timp. gr. Sec. post  
 80.68 Intersect the East Boundary 184 links North of Post.  
 Land rolling & poor. Subst. as last described.

West Corrected between Sec. 24 & 25  
 22.83 A W. Oak 20 in. diam.  
 40.34 Set a gr. Sec. post at aver. dist. from which  
 a W. Oak 20 in. diam. bears N. 62 E. 38 links dist. &  
 a Co 20 " " " S. 40 W. 90 " "  
 80.68 To Sec. Corner.

North Between Sec. 23 & 24  
 1.90 Intersect the line of Reserve. where Set a Post  
 Corner to Sec. 23 & 24 from which  
 a W. Oak 50 in. diam. bears S. 54 E. 62 links dist. &  
 a Co 18 " " " S. 47 W. 58 " "

West Between Sec. 23 & 26  
 4.50 Intersect the line of Reserve. where set a post.  
 Cor. to Sec. 23 & 26 from which  
 a W. Oak 24 in. diam. bears N. 80 E. 80 links dist. &  
 a Co 24 " " " S. 15 W. 64 " "

North Between Sec. 34 & 35  
 5.00 A Slough. running water. West.  
 22.35 An Elm 26 in. diam.  
 40.00 Set a gr. Sec. post from which  
 an Ash 24 in. diam. bears S. 57 E. 10 links dist. &  
 a W. Beech 8 " " " N. 52 W. 29 " "  
 50.28 A Hickory 10 " "  
 80.00 Set a Post Cor. to Sec. 29, 27, 34 & 35 from which  
 a Beech 16 in. diam. bears S. 66 E. 24 links dist. &  
 a Co 15 " " " S. 77 W. 26 " "  
 Land poor. Timber Oak & Hickory. Underg.  
 Haze. Arrowg. Ash. & Briers.



91

T 31 N. R 9 E Ind. Mer. Indiana.

*E. Ash* On Random between Sec. 26 & 35  
 80 14 Intersect the N 4 S line 85 links South of the Post.  
 Land poor Timber. Oak & Hickory Underg.  
 Ironwood & Hazel.

*West* Connected between Sec. 26 & 35  
 12. 80 A W. Ash 40 in. diam.  
 40. 07 Set a gr Sec post at aver. dist from which  
 a Thorn 10 in. diam. bears S. 86 E. 26 links dist &  
 a Beech 10 " " " N. 86 W. 42 " "  
 80 17 A Hickory 14 " "  
 80 14 To Sec. Corner.

*North* Between Sec. 26 & 27  
 14. 00 A Beech 22 in. diam.  
 40. 00 Set a gr Sec post from which  
 an Elm 12 in. diam. bears S. 55 E. 24 links dist &  
 a Cherry 8 " " " S. 81 W. 17 " "  
 49. 27 Intersect line of Reserve (Bever) 16.74. from the  
 S E cor. of the same. where set a Post Cor. to Sec.  
 26 & 27. from which  
 a Beech 20 in. diam. bears S. 34 W. 32 links dist &  
 a Do 20 " " " N. 89 E. 40 " "  
 Land rolling & good Ind. res. Timber. Oak.  
 Beech. Hickory. Sugar Elm. &c.

*North* Between Sec. 33 & 34  
 5. 00 A Brook 20 links wide. Course West  
 22. 90 A W. Oak 28 in. diam.  
 40. 00 Set a gr Sec post from which  
 a W. Oak 60 in. diam. bears N. 48 E. 17 links dist &  
 a Do 30 " " " S. 48 W. 58 " "  
 55. 45 A W. Oak 36 " "  
 80. 00 Set a Post Cor. to Sec. 37. 28 33 & 34 from which  
 a W. Oak 14 in. diam. bears N. 66 E. 8 links dist &  
 a Beech 20 " " " S. 73 W. 18 " "

## T. 31 N. R. 9 E. 2nd Mer. Indiana

Land rolling & rate. Timber Oak. Ash.  
Hickory. Beech. &c.

East On Random between Sec. 27 & 34  
80. 10 Intersect 1 & 3 line 1.30 links South of the Post.  
Land good Timber as before described  
May. 3. 1834

West Connected between Sec. 27 & 34  
20. 00 A W. Oak 40 in. diam.  
40. 05 Set a gp Sec. post at a cor. dist. from which  
an Elm 20 in. diam. bears N. 62 W. 37 links dist. &  
a W. Oak 20 " " " S. 3 W. 42 " "  
60. 20 A Hickory 11 " "  
80. 10 To Sec. Corner

North Between Sec. 27 & 28  
3. 71 Intersect the line of Beaver Reserve. where set  
a post cor. to Sec. 27 & 28 from which  
a Beech 12 in. diam. bears S. 84 E. 8 links dist. &  
a Do 18 " " " S. 5 W. 83 " "

West Between Sec. 28 & 33  
6. 03 Intersect the line Beaver Reserve. where set a  
post cor. to Sec. 28 & 33 from which  
a Beech 17 in. diam. bears N. 81 E. 31 links dist. &  
an Ironwood 6 " " " S. 60 E. 32 " "

North Between Sec. 32 & 33  
12. 73 A Brook 20 links wide Course N. W.  
13. 80 A Hickory 10 in. diam.  
40. 00 Set a gp Sec. post from which  
a Beech 10 in. diam. bears S. 75 E. 16 links dist. &  
a W. Oak 6 " " " S. 39 W. 24 " "  
59. 00 To Cal River 70 links wide; Course S. W.  
62. 70 An Ash 30 in. diam.

93

T 31 N. R. 9 E Ind. Mer. Indiana.

70.50 To Eel River. up stream in River  
 71.50 Leave the River  
 80.00 Set a Post cor. to Secs 28, 29, 32, & 33. from which  
 an Ash 15 in. diam. bears S. 61 E. 15 links dist &  
 a W. Beech 5 " " " S. 61 W. 14 " "  
 Part Bottom land which is very rich  
 The River here is deep & sluggish with Low Banks.

East Between Secs 28 & 33  
 11.00 To Eel River 65 links wide. Course S. W.  
 12.00 Intersect the line of Beaver Reserve where  
 set a post cor. to Secs 28 & 33 from which  
 a Beech 20 in. diam. bears N. 35 W. 13 links dist &  
 a Sugar 30 " " " S. 8 W. 48 " "

North Between Secs 28 & 29  
 35.00 Intersect the line Beaver Reserve. where set a  
 post cor. to Secs 28 & 29 from which  
 an Greenwood 7 in. diam. bears N. 50 W. 30 links dist &  
 an Ash 16 " " " S. 82 W. 32 " "  
 Land &c good. May 5<sup>th</sup> 1834

North Between Secs 31 & 32  
 14.40 A W. Oak 18 in. diam.  
 40.00 Set a gr. Sec Post from which  
 a W. Oak 18 in. diam. bears N. 62 E. 48 links dist &  
 a Dr. 18 " " " S. 57 W. 14 " "  
 64.45 A Hickory 33 " "  
 80.00 Set a Post cor. to Secs 29, 30, 31 & 32 from which  
 a Beech 28 in. diam. bears S. 41 W. 11 links dist &  
 a Dr. 16 " " " N. 24 E. 11 " "  
 Land rolling. South &c good.

East On Random between Secs 29 & 32  
 26.35 A Birch 6 links wide. Course South  
 65.00 Dr. 5 " " " S. E.

## T. 31 N. R. 9. E. Ind. Mer. Indiana

81. 18 Intersect the T & S line 200 links North of Post.  
Land rolling & rich; timber to correspond.

West Corrected between Sec. 29 & 32

19. 68 A Buck 20 in. diam.

40. 59 Set a gr. Sec. post at aver. dist, from which  
a Buck 20 in. diam. bears N. 41 E. 8 links dist. &  
an Ash 18 " " " S. 20 W. 18 " "

63. 33 A Buckeye 12 in. diam.

81. 18 To Sec. Corner

West Between Sec. 30 & 31 On Random.

79. 50 Intersect the West Boundary 2.97 links South  
of the Post.

Land level & 2<sup>nd</sup> rate. Timber. Buck  
Oak. Ash. Hickory, &c. Underg<sup>th</sup> Dogwood.  
Ironwood & Elm.

East Corrected between Sec. 30 & 31

At Corner on West Boundary Set a Post Corner to  
Sec. 30 & 31 from which

a Buck 14 in. diam. bears N. 14 E. 6 links dist. &  
a Do 9 " " " S. 88 E. 19 " "

19. 50 A Buck 20 "

39. 50 1/4 Sec. Corner from which

a W. Oak 15 in. diam. bears West 32 links dist. &  
a Do 15 " " " S. 88 E. 31 " "

59. 65 A Buck 20 " "

79. 50 To Sec. Corner

May 5<sup>th</sup> 1834

North Between Sec. 29 & 30

12. 80 A Buck 5 in. diam. A Brook 5 links wide Cr. East.

17. 80 A W. Oak 30 in. diam.

40. 00 Set a gr. Sec. post from which

a W. Oak 35 in. diam. bears N. 18 E. 28 links dist. &



95

T 31 A. R. 9 E Ind. Mer. Indiana.

a W Oak 30 in. diam. bears S. 57 W. 21 links dist  
 53.50 A Hickory 16 " " "  
 80.00 Set a post Cor. to Sec. 19. 20. 29 + 30 from which  
 a W Oak 40 in. diam. bears S. 30 E. 26 links dist &  
 an Ash 17 " " " N. 25 E. 28 " "  
 Land rolling. Timber. Ash. Hickory. Beech & Ironwood.  
 Undergrowth. Dogwood.

East Between Sec. 20 + 29  
 19.90 An Ash 12 in. diam.  
 45.00 Set a go. Sec. post from which  
 an Ash 14 in. diam. bears S. 36 E. 38 links dist &  
 a Dr 11 " " " N. 5 W. 23 " "  
 64.52 Intersect the line of Beaver Reserve. where  
 set a post Cor. to Sec. 20 + 29 from which  
 an R. Oak 30 in. diam. bears N. 25 W. 32 links dist &  
 a Hickory 5 " " " S. 2 W. 20 " "  
 Land rolling & rich very fine especially the  
 East 1/2.

West Between Sec. 19 + 30  
 32.50 Enter West Prairie  
 45.00 Left same  
 79.65 Intersect the West Boundary 150 links North  
 of the Corner.  
 Land poor. Timber Oak & Hickory.

East Connected between Sec. 19 + 30  
 At the Corner on West Boundary set a post Cor.  
 to Sec. 19 + 30 from which  
 a W Oak 30 in. diam. bears N. 89 E. 30 links dist &  
 an Ash 11 " " " S. 50 W. 36 " "  
 19.65 An Elm 20 " "  
 39.65 Set a go. Sec. post on true line from which  
 an Aspin 8 in. diam. bears S. 57 W. 142 links dist &  
 a Dr 6 " " " S. 39 W. 144 " "

## T 31 N. R 9 E Ind. Mer. Indiana

79.65 To Sec Corner

North Between Sec. 19 + 20

22.12 A Sugar 20 in. diam.

40.00 Set a gr. Sec. post from which  
a W. Oak 19 in. diam. bears S. 5 E 300 links dist &  
a Do 13 " " " S 53 E 2.20 " "

In South Margin of Prairie

66.00 Left Prairie. Met. Cranberries

31.66 A W. Oak 19 in. diam.

80.00 Set a post cor. to Sec. 17. 18. 19. + 20 in skirt of Prairie  
or swamp from which  
a Hickory 14 in. diam. bears S. 57 E. 6 links dist &  
a W. Oak 20 " " " S. 53 W. 5 " "  
Land rolling & poor. Timber. Oak. & Hickory.

East Between Sec. 17 + 20

32.50 Left Prairie or swamp

40.00 Set a gr. Sec. post from which  
a Maple 11 in. diam. bears S. 48 E. 36 links dist &  
a Spruce 8 " " " N. 35 W. 55 " "66.63 Intersect the line of Beaver Reserve 29.77 from  
the N. W. Corner of Reserve. where Cor. of 17 + 20  
set a post from which.a W. Oak 20 in. diam. bears S. 80 W. 11 links dist &  
a Do 11 " " " N. 33 E. 10 " "  
Oak land but mostly swampy.

West Between Sec. 18 + 19 On Random

80.00 Intersect the West Boundary 100 links South of Post.  
Land not described

East Corrected Between Sec. 18 + 19

At the Corner on West Boundary Set a post  
cor. to Sec. 18 + 19 from which  
a Hickory 12 in. diam. bears N. 40 E. 86 links dist &

97

T 31 N. R 9 E Ind. Mer. Indiana.

20.20 a W. Oak 40 in. diam. bears S 70 E 70 links dist  
 40.00 A Beech 20 " "  
 40.00 Set a gr Sec post from which  
 a Beech 24 in. diam. bears S 9 W 8 links dist &  
 a Hickory 8 " " " N 55 E 37 " "  
 80.10 A W Oak 26 " "  
 80.00 To Sec. Corner

North Between Sec. 17 & 18  
 15.00 Left the Prairie or swamp  
 19.50 A W Oak 10 in. diam.  
 40.00 Set a gr Sec post from which  
 a W. Oak 22 in. diam. bears N. 21 E. 14 links dist &  
 a Hickory 17 " " " S. 3 W. 20 " "  
 84.30 A W Oak 50 " "  
 70.00 Enter West Prairie  
 80.00 Set a Post Cor. to Sec. 7. 8. 17 & 18 from which  
 a W. Oak 15 in. diam. bears N. 71 W. 9 links dist &  
 a Samarae 10 " " " N. 4 E. 800 " "  
 Land in part swampy prairie & part dry  
 poor Oak & Hickory Land.

West Between Sec. 7 & 18 On Randem  
 10.00 Left the Prairie  
 20.00 Enter Prairie  
 34.00 Left the same  
 40.00 Enter Prairie & Willow swamp.  
 85.00 Left same  
 79.22 Intersect the West Boundary 93 links South of Post.  
 Land not described

East Corrected between Sec. 7 & 18  
 At the Cor. on West Boundary Set a Post Cor. to Sec.  
 7. 18 from which  
 a W. Oak 30 in. diam. bears S. 75 E. 57 links dist &  
 a Do 30 " " " S 23 E 68 " "

## T 31 N. R 9 E 2nd Mer. Indiana.

39.22 Set a gr Sec post on true line from which  
 a Hickory 12 in. diam. bears N 22 E 60 links dist &  
 a B. Oak 20 " " " S. 38 W. 62 " "  
 79.22 To Sec. corner. May 6<sup>th</sup>. 1834.

North Between Sec. 7 & 8.

40.00 Set a gr Sec post from which  
 a Tamarac 20 in. diam. bears S. 2 W. 125 links dist &  
 a Do 20 " " " S. 59 E. 54 " "  
 This corner is in the Margin of a Tamarac swamp  
 East of the line and appears to extend S E.  
 73.10 A W. Oak 24 in. diam.  
 76.00 Enter Mt Prairie  
 80.00 Set a post cor. to Sec. 5-6. 7 & 8 from which  
 a W. Oak 30 in. diam. bears S. 25 W. 330 links dist &  
 a Tamarac 7 " " " N. 3 W. 365 " "  
 Land not described

West Between Sec. 6 & 7

21.00 Left the Prairie or swamp  
 79.00 Intersect the N + S line or West Boundary 14 links  
 North of the Post.  
 Land part dry poor Land + part mt Prairie and  
 Tamarac swamp.

East Corrected between Sec. 6 & 7

At the cor. on West Boundary Set a post cor. to  
 Sec. 6 & 7 from which  
 a Beech 12 in. diam. bears N. 62 E. 12 links dist &  
 a Hickory 12 " " " S. 70 E. 27 " "  
 18.00 A W. Oak 30 " "  
 39.00 Set gr Sec post on true line from which  
 a Hickory 20 in. diam. bears N. 68 E. 58 links dist &  
 a Do 12 " " " S. 79 W. 50 " "  
 79.00 To Sec. corner



North Between Secs. 5 + 6

25.00 Left Prairie + Swamp

29.85 A Poplar 30 in. diam.

40.00 Set a gr. Sec. post from which  
a Hickory 13 in. diam. bears S. 37° 24 links dist &  
a Do 20 " " " N. 71 E. 12 " "

58.00 A Hickory 11 in. "

86.78 Intersect the line of correction. where set a Post  
Cor. to Secs. 5 + 6 from which an  
Ro. Oak 50 in. diam. bears S. 17 E. 53 links dist &  
Lynn 6 " " " S. 31 W. 48 " "  
Land North  $\frac{1}{2}$  mile separate. South  $\frac{1}{2}$  from Timber  
Oak + Hickory.

East On Random between Secs. 5 + 8

15.00 Left Mt. Prairie

27.50 Enter Mt. Prairie

40.00 Set a Temp<sup>y</sup> gr. Sec. post

63.50 Left the Prairie

80.00 Set Temp<sup>y</sup> Post Cor. to Secs. 4. 5 8. + 9

East On Random between Secs. 4 + 9

40.00 Set a Temp<sup>y</sup> gr. Sec. post.

80.00 Set a Post Cor. to Secs. 3. 4 9 + 10 (Temp<sup>y</sup>)

Land level. soil thin

Timber Oak Hickory Beech. Sugar &c.  
Underg<sup>th</sup> Ironwood. Edm. Oak. &c. &c.

East On Random between Secs. 3 + 10.

13.50 A Brook 7 links wide. Course S E.

40.00 Set a Temp<sup>y</sup> gr. Sec. post.

80.00 Set a Temp<sup>y</sup> Post Cor. to Secs. 2. 3. 10 + 11.

Land rolling.

East On Random between Secs. 2 + 11

40.00 Set a Temp<sup>y</sup> gr. Sec. post.

## T 31 A R 9 E 2nd Mer. Indiana.

80.00 Set Temp<sup>ry</sup>. Post Cer. to Sec. 1. & 2. 11 H 3  
 Land rolling & rate Timber. Beech,  
 Oak. Hickory. Ash. &c.

East On Random between Sec. 1 H 3

7. 18 Thorn Creek 60 links wide. Course S W.

40.00 Set a Temp<sup>ry</sup>. gr. Sec. post.

80.32 Intersect the East Boundary 900 links North  
 of the Corner

Land rolling & poor except in the Creek Bottoms  
 Timber. Oak. & Hickory. Upland inclining  
 to Barrens.

West Corrected between Sec. 1 H 2.

40.03 Set a gr. Sec post at aver. dists from which  
 a Hickory 11 in. diam. bears S. 31 W. 15 links dist &  
 a Do 11 " " " " N. 31 E. 12 " "

80.06 Set a post Cer. to Sec. 1. 2. 11 H 2 from which  
 an Ash 16 in. diam. bears S. 50 W. 25 links dist &  
 a W. Oak 18 " " " " N. 70 E. 30 " "

May 7<sup>th</sup> 1834

South Between Sec. 11 H 2

3. 90 To Thorn Creek 70 links wide. Course S W.

19.00 Do. Do 70 " " " " S E

32.33 Do. Do 60 " " " " West.

40.00 Set a gr. Sec. post from which  
 an Ash 20 in. diam. bears S. 43 E. 31 links dist &  
 a Beech 22 " " " " N. 84 W. 10 " "

41.00 Intersect the line of Chuk's Village Reserve. where  
 made Cer. to Sec. 11 H 2 from which  
 a Beech 14 in. diam. bears N. 23 E. 36 links dist &  
 an Elmwood 11 " " " " N. 58 W. 30 " "

North Between Sec. 1 & 3

01.37 A Beech 19 in. diam.

## T. 31 N. R. 9 E 2nd Mer. Indiana

- 46.00 Set a q<sup>r</sup> Sec post from which  
a Buck 30 in. diam. bears S 23 E 43 links dist &  
a Do 11 " " " N. 51 W. 16 " "
- 54.95 A Buck 26 " "
- 77.30 A Brook 25 links wide. Course S E.
- 88.55 Intersect the line of Correction. 77 links West of a  
quarter Sec. post. where made corner to Sec 1 & 2  
from which a  
W Oak 12 in. diam. bears S 40 E 25 links dist, & an  
R Oak 12 " " " S 22 W 31 " "  
South 1/2 mile West North 1/2 square. Timber.  
Buck. Oak. Ash & Hickory

- Note Between Sec. 2 & 11
- 40.03 Set a q<sup>r</sup> Sec post at aver dist from which  
a Buck 20 in. diam. bears S 27 W. 40 links dist &  
a Lynn 6 " " " N. 48 E. 13 " "
- 80.06 Set a post cor. to Sec. 2 & 3. 10 1/2 from which  
a Buck 18 in. diam. bears N. 52 W. 15 links dist &  
a Do 6 " " " N. 58 E. 25 " "

- North Between Sec. 2 & 3
- 28.00 A Buck 15 in. diam.
- 40.00 Set a q<sup>r</sup> Sec post from which  
an Ash 15 in. diam. bears S 40 W. 16 links dist &  
a Buck 12 " " " N. 49 E. 40 " "
- 59.50 A Hickory 12 " "
- 82.00 A Brook 10 links wide; Course S E.
- 88.20 Intersected Correction line 38 links West of a  
q<sup>r</sup> Sec post. where made corner to Sec. 2 & 3  
from which a Buck 28 in. diam. bears S 32 W. 19 links dist  
& and a Do 18 " " " S 47 E. 50 " "  
Land poor. Timber. Elm. Buck. Maple  
Oak & Hickory.

South Between Sec. 10 & 11

## T. 31. N. R. 9 E. 2nd Mer. Indiana.

- 22.20 A Beech 24 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Beech 20 in. diam. bears N. 14 W. 14 links dist. &  
 a Do 30 " " " S. 30 E. 9 " "  
 69.76 Intersect the line of Snake Village Reserve,  
 where made cor. to Sec. 10 & 11 from which  
 a Buckeye 12 in. diam. bears S. 72 E. 20 links dist. &  
 an Elm 10 " " " S. 53 W. 27 " "  
 Land rolling & good & average, particularly the  
 South half.

- West Between Sec. 3 & 10 Corrected  
 4.70 A Beech 20 in. diam.  
 40.03 Set a gr. Sec. post at aver. dist. from which  
 a W. Oak 23 in. diam. bears N. 18 E. 33 links dist. &  
 an Elm 5 " " " S. 34 W. 3 " "  
 43.20 An Elm 18 " "  
 80.00 Set a Post Cor. to Sec. 3. 4. 9 & 10 from which.  
 a Hickory 12 in. diam. bears S. 3 E. 5 links dist. &  
 a Do 11 " " " N. 43 W. 38 " "

- North Between Sec. 3 & 4  
 16.30 An R. Oak 48 in. diam.  
 31.70 A Brook 8 links wide. Course S. E.  
 40.00 Set a gr. Sec. post. from which  
 a Beech 24 in. diam. bears S. 30 E. 10 links dist. &  
 a W. Oak 24 " " " S. 69 W. 25 " "  
 64.30 A Hickory 10 " "  
 85.90 Intersect the line of Correction 1.44 links West  
 of a gr. Sec. post where made Cor. to Sec. 3 & 4  
 from which a  
 Hickory 18 in. diam. bears S. 23 W. 16 links dist. & a  
 Do 12 " " " S. 59 E. 9 " "  
 Land not described

South Between Sec. 9 & 10



T 31 N. R. 9. E. 2nd Mer. Indianas.

103

12. 00 A Walnut 14 in. diam. bears  
 40. 00 Set a gr. Sec. post from which  
 a W. Oak 33 in. diam. bears N. 5 W. 30 links dist. &  
 a Do 28 " " " S. 34 W. 31 " "  
 62. 30 A Brook 9 links wide. Course S. E.  
 65. 98 A Hickory 33 in. diam. bears  
 72. 50 A Brook 9 links wide. Course S. W.  
 80. 00 Set a post cor. to Sec. 9. 10. 15 + 16 in Prairie swamp.  
 from which a  
 Willow 7 in. diam. bears N. 34 W. 12 links dist. & a  
 Do 6 " " " S. 68 W. 6 " "  
 Land 2nd rate. Timber. Oak. Hickory.

- East On Random between Sec. 10 + 15  
 14. 00 A W. Oak 20 in. diam.  
 40. 00 Set a gr. Sec. post from which  
 a Beech 12 in. diam. bears S. 51 E. 2 9 links dist. &  
 a Do 12 " " " N. 6 W. 24 " "  
 68. 50 Intersect the line of Suck's Village Reserve.  
 where made cor. to Sec. 10 + 15 from which  
 an Ash 9 in. diam. bears S. 86 W. 20 links dist. &  
 a Do 9 " " " N. 69 E. 12 " "  
 This Post in prairie swamp  
 Land rolling & part 2nd rate. Timber. Oak. Hickory.  
 Beech, Maple.

- South Between Sec. 15 + 16  
 12. 00 A W. Oak 50 in. diam.  
 27. 75 Intersect the line of Bever Reserve. where  
 set a post cor. to Sec. 15 + 16 from which  
 a Thorn 9 in. diam. bears S. 69 W. 5 links dist. &  
 a Beech 12 " " " N. 40 E. 25 " "  
 Land not described

- West Between Sec. 4 + 9  
 3. 93 A Beech 30 in. diam.

## T 31 N. R 9 E 2nd Mer. Indiana

40. 03 Set a gp. Sec post at aver. dist from which  
 a W. Oak 24 in. diam. bears S. 53 W. 43 links dist. &  
 a Do 24 " " " N. 41 E. 55 " "
- 80 06 Set a post cor. to Sec. 4, 5, 8 & 9. from which  
 a Hickory 30 in. diam. bears N. 42 W. 40 links dist. &  
 a Do 24 " " " N. 83 E. 82 " "

West Corrected between Sec. 5 & 8

4. 44 An Elm 12 in. diam.
- 40 03 Set a gp. Sec post from which  
 a W. Oak 24 in. diam. bears S. 12 E. 3. 86 links dist. &  
 a Do 15 " " " S. 13 W. 360 " "
- 80 06 To the Corner of Sec. 5, 6, 7 & 8 previously established  
 May 8<sup>th</sup> 1834.

North Between Sec. 4 & 5

17. 64 A W. Oak 24 in. diam.
19. 00 Enter wet Prairie
37. 50 Left same
40. 00 Set a gp. Sec post from which  
 a W. Oak 20 in. diam. bears N. 72 E. 45 links dist. &  
 a Do 22 " " " S. 16 W. 34 " "
64. 00 A B. Oak 24 " "
86. 86 Intersect the line of Correction 1.10 links (perhaps)  
 West of a gp. Sec post from which  
 a Beech 22 in. diam. bears N. 86 E. 30 links dist. &  
 an Elm 24 " " " S. 57 W. 45 " "  
 Land poor.

South Between Sec. 8 & 9

10. 50 An B. Oak 26 in. diam.
40. 00 Set a gp. Sec post from which  
 a Willow 4 in. diam. bears S. 26 W. 50 links dist. &  
 a Do 4 " " " N. 26 E. 20 " "
- Post in swamp
15. 50 A W. Oak 50 in. diam. bears

## T 31 N R. 9. E. 2nd Mer. Indian

80.00 Set a post cor. to Sec. 8. 9 16 117 from which  
 a Hickory 15 in. diam. bears N 50 W 9 links dist, &  
 a Walnut 50 " " " S. 7 E. 30 " "  
 Land full Timber Oak. Hickory & Beech. Unders.  
 Ironwood Elm. Dogwood. &c.

West Between Sec. 8 & 17 On Random  
 50.00 Enter met Prairie  
 79.70 Intersect at Post.  
 Poor Oak Land

East Connected between Sec. 8 & 17  
 39.85 Set a gp. Sec. post at aver dist. from which  
 a W. Oak 22 in. diam. bears N. 69 W. 80 links dist, &  
 a Hickory 18 " " " S. 54 E. 160 " "  
 60.00 An Ironwood 8 " "  
 79.70 To Sec. Corner.

East On Random between Sec. 9 & 10  
 80.00 Intersect the A & S line 51 links North of the Post  
 Land & Timber as before

West Connected between Sec. 9 & 10  
 19.80 A W. Oak 9 in. diam.  
 40.00 Set a gp. Sec. post at aver dist. from which  
 a Hickory 24 in. diam. bears S. 4 E. 31 links dist, &  
 a Beech 15 " " " N. 1 E. 34 " "  
 74.30 A W. Oak 24 " "  
 80.00 To Sec. Corner

South Between Sec. 16 & 17  
 21.75 A B. Oak 15 in. diam.  
 40.00 Set a gp. Sec. post. from which  
 a Hickory 16 in. diam. bears N. 5 W. 43 links dist, &  
 a D. 18 " " " S. 77 E. 8 " "  
 Land poor. Timber. Oak & Hickory. May 9th 1834  
 73.60 Intersect line of Reserve. Set post cor. to Sec. 16 & 17 from which a  
 Hickory 16 in. diam. bears N. 59 W. 11 links dist, & to Sec. 16 N. 12 W. 33 links dist.



## T 31 S. R 9 E Ind. Mer Indiana

## Meanders of Eel River

Beginning at the cor. of Sec. 31 & 30 on the Right Bank on the line between Ranges 8 & 9 in Township 31. Thence up stream on the Right Bank in Section 31 T 31 S R 9 E.

S 82 E 4.50

S 5 E 4.50

S 40 W 2.85 To Corner on line between Townships 30 &amp; 31

Thence up stream in Sec 5 on Right Bank.

S 70 E 5.00

A 58 E 3.31 To Corner on Township line

Thence up stream on Right Bank in Sec. 31

A 31 E 6.00

A 82 E 3.00

S 60 E 6.00

S 20 E 2.00

S 22 W 0.50 To the cor. on Right Bank on Town line

Thence up stream on the Right Bank,  
in Section 6 T 30 S R 9 E.

S 43 E 3.00

A 45 E 3.00 To Corner on Town line

Thence in Section 31 T 30 S R 9 E

A 5 W 4.00 A 200 An Island lower end

A 26 W 5.00

A 46 E 9.50

S 70 E 5.00

S 18 E 3.00

S 44 W 4.00 Head of an Island

S 45 E 4.00

S 24 E 3.00

S 7 E 1.68 To the Corner on Town line



## T 31 N. R. 9. E. 2nd Mer. Indiana

Thence up Stream in Sec. 6

S 22 E 3.00

N 88 E 1.50

N 43 E 3.00

S 83 E 6.50

N 62 E 3.50 To Town line

East 3.50 on line

S 25 E 13.00

S 74 E 3.00

N 66 E 3.50

N 43 E 10.00

N 37 E 4.00

N 57 E 2.13 To corner on Town line between Sec. 6. &amp; 31

May 2nd 1834.

Thence up Stream on Right Bank in Sec 31

N. 72 E 3.73 To line between Sec. 31 &amp; 32.

Thence in Sec. 33

East 11.00

S. 77 E 2.20 To the 1st intersection of line between Sec.  
30 & 31 and Oil River

May 5th 1834

Surveyed by  
John Hendricks  
Dep. Sur.

Compd.

Compd

This Prairie is quite wet except a small part near the middle. The upland is poor. Timber Oak & Hickory.

West Corrected between Secs 15 & 22  
 19.00 A Hickory 30 in. diam.  
 39.87 1/2 Set a gr. Sec. post at arcr. dist. from which  
 a Hickory 15 in. diam. bears S. 32° W. 6 links dist. &  
 a Co 12 " " " N 18° E 5 1/2 " "  
 79.75 To Sec. corner.

North Between Secs 15 & 16  
 22.45 A W. Oak 48 in. diam.  
 37.47 Intersect the line of Reserve. where made corner  
 to Sections 15 & 16 from which  
 a B. Oak 19 in. diam. bears S. 75° E. 44 links dist. &  
 a Co 20 " " " S 10° W 58 " "  
 Poor Oak Land.

North Between Secs 32 & 33  
 32.80 A W. Oak 24 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Lynn 22 in. diam. bears S. 4° E. 17 links dist. &  
 an R. Oak 28 " " " N. 31° W. 35 " "  
 65.00 A Hickory 20 " "  
 80.00 Set a Post cor. to Secs 28, 29, 32 & 33 from which  
 a Beech 18 in. diam. bears S. 59° E. 2 links dist. &  
 a Co 15 " " " S. 84° W. 38 " "  
 Poor Oak Land some Beech

East On Random between Secs 28 & 33  
 79.95 Intersect the N & S line 47 links North of the Post  
 Land. Rolling & variable. Heavy timber. Beech  
 Ash Oak. Sugar. Hickory Oak. Elm. Thornwood  
 Osage & Spice.

May 14<sup>th</sup> 1834

A. S.

The notes on this and several following pages, stricken out, are the notes

R 10

79.95

of

## T 31 N. R. 9. E. Ind. Sec. Indiana

West Corrected between Sec. 28 &amp; 33

17.00 A W. Oak 50 in. diam.

39.97 Set a q. Sec post at aver. dist. from which  
a W. Oak 14 in. diam. bears S 5 N 9 links dist. &  
a Sugar 20 " " " N 4 E 31 " "

80.73 An Ash 18 " "

79.95 To Sec corner

North Between Sec. 28 &amp; 29

28.35 A Poplar 28 in. diam.

40.00 Set a q. Sec post. from which  
a Poplar 16 in. diam. bears N 18 W 10 links dist. &  
a W. Oak 30 " " " S 13 W 30 " "

60.74 A Poplar 20 " "

80.00 Set a Post cor. to Sec. 20. 21. 28 & 29 from which  
a Lymn 28 in. diam. bears N 31 E 10 links dist. &  
a Beech 16 " " " S 27 E 47 " "Land 2nd rate. Timber as before described.  
On the North  $\frac{1}{2}$  mile. there are some swamps  
and one Slough which will. Probably, collect into a  
considerable Brook.

East On Random between Sec. 21 &amp; 28

79.88 Intersect the N & S line 78 links North of Post.  
Land level & poor. part inclining to west.  
Timber. Oak. Hickory. Ash. Elm & Maple.  
Undergrowth Water Birch. Huckle. Dogwood. Elm.  
Ironwood. &c

West Corrected between Sec. 21 &amp; 28

20.54 Set a q. Sec post at aver. dist. from which  
a W. Oak 20 in. diam. bears N 32 E 6 links dist. &  
a B. Oak 11 " " " S 76 W 28 " "

59.56 A B. Ash 14 " "

79.88 To Sec corner



T. 31. N. R. 9 E. Ind. Mer. Indiana 111

North Between Sec. 20 & 21  
 16.27 A B Oak 50 in. diam.  
 40.00 Set a q. Sec. post from which  
 a W. Oak 22 in. diam. bears North 13 links dist. &  
 a Co 36 " " " S 38 W 47 " "  
 55.62 An Elm 15 " "  
 56.80 Enter the Prairie  
 80.00 Set a Post cor. to Sec. 16. 17. 20 & 21 in North  
 Margin of Prairie from which  
 a W. Oak 20 in. diam. bears North 6.86 links dist. &  
 a B. Oak 10 " " " N. 25 E. 6.10 " "  
 The Prairie is of the worst quality & the surround-  
 ing country is still worse  
 May 14<sup>th</sup> 1834

East On Random between Sec. 16 & 21  
 12.00 Left the Prairie  
 79.73 Intersect the N & S line 54 links North of the Post  
 Land level. Soil 2<sup>nd</sup> rate. Timber. Beech. Sugar.  
 Elm. Oak. Hickory, &c.

West Corrected between Sec. 16 & 21  
 19.73 A Buckeye 10 in. diam.  
 39.86 Set a q. Sec. post at area dist. from which  
 a Beech 30 in. diam. bears S 31 W 14 links dist. &  
 a Buckeye 6 " " " N 36 W 6 " "  
 48.73 An Elm 23 " "  
 79.73 To Sec. corner

North Between Sec. 16 & 17  
 6.00 Left the Prairie  
 8.37 Intersect the line of Reserve where Set a Post  
 cor. to Sec. 16 & 17 from which  
 a W. Oak 30 in. diam. bears S 22 W 14 links dist. &  
 a Co 15 " " " S 67 E 43 " "

## T 31 N. R. 9 E. Ind. Mer. Indiana.

West Between Sec. 17 & 20  
 23.77 Intersect the line of Reserve in Prairie  
 where made cor. to Sec. 17 & 20. from which  
 a W. Oak 20 in. diam. S 84 E 11. 17 links dist.  
 Land not described

North Between Sec. 31 & 32  
 12.50 A Buck 14 in. diam.  
 40.00 Set a g. the post from which  
 a Hickory 15 in. diam. bears N 42 E. 43 links dist. &  
 a Buck 22 " " " S 30 W 9 " "  
 55.90 An Elm 10 " "  
 58.50 Enter Swamp close Willow  
 80.07 Set a Post in Swamp cor. to Sec. 29. 30 31 & 32  
 from which  
 an Elm 10 in. diam. bears S 82 W 8 links dist. &  
 a Co 12 " " " N. 83 E. 11 " "  
 Land not described

East On Random between Sec. 29 & 32  
 9.50 Left the Swamp  
 80.75 Intersect the N & S line 44 links North of Post.  
 Land incl. Timber Beech. Ash. Oak. Gumming  
 Sugar. Hickory &c.

West Corrected between Sec. 29 & 32  
 20.30 A Buck 20 in. diam.  
 48.37 Set a g. the post at aver. dist. from which  
 a Buck 22 in. diam. bears N. 85 W. 26 links dist. &  
 a Co 13 " " " S 44 E 13 " "  
 60.05 A W. Oak 30 " "  
 80.75 To Sec. corner

West Between Sec. 30 & 31 Random  
 4.50 Left the Swamp  
 74.50 Intersect the West Boundary 28 links North

of the old corner  
Land poor. Timber Oak & Hickory Underg.  
Gallapras. Ironwood. Hickory. Briers. Part  
Barrens

West Corrected between Sec. 30 & 31  
At Corner on the West Boundary made Corner to  
Sec. 30 & 31 from which  
a W. Oak 26 in. diam. bears N 46 E 34 links dis. &  
a Co 22 " " " S 57 E 33 " "  
14. 40 A W. Oak 20 " "  
34. 50 Set a gr. Sec. post from which  
a W. Oak 28 in. diam. bears N 11 E 39 links dis. &  
a Co 26 " " " S 58 E 37 " "  
54 50 A Beech 14 " "

North Between Sec. 29 & 30  
5. 00 Left the Swamp  
28. 20 A W. Oak 28 in. diam.  
40. 00 Set a gr. Sec. post from which  
a W. Oak 30 in. diam. bears East 12 links dis. &  
a Co 14 " " " S. 61 W. 35 " "  
An Aspen 13 in. diam.  
58. 70 An Aspen 13 " "  
80. 00 Made corner to Sec. 19. 20. 29 & 30 from which  
an Ash 11 in. diam. bears S. 77 W. 16 links dis. &  
a Co 12 " " " N. 73 E. 31 " "  
Land & Timber as last described.

East On Random between Sec. 20 & 29.  
50. 00 Intersect the N & S line 62 links North of the Post.  
Poor land. Timber. Oak. Hickory. Beech.  
Ironwood. Maple. Elm, &c.

West Corrected between Sec. 20 & 29.  
21. 40 A Hickory 12 in. diam.

T 31. N. R. 9 E. 1<sup>st</sup> Mer. Indiana.

40.10 Set a gr. Sec. post from which  
 a W. Oak 28 in. diam. bears N. 43 E. 31 links dist &  
 a Hickory 8 " " " S 45 E 22 " "  
 60.98 A W. Oak 28 " "  
 80.20 To Sec. Corner.

West On Randon between Sec. 19 & 30  
 75.80 Intersect the West Boundary 27 links North of  
 the Post.  
 Land & Timber as before.

East Corrected between Sec. 19 & 30  
 At the Corner on West Boundary Set a Post  
 Corner to Sec. 19 & 30 from which  
 a Hickory 14 in. diam. bears S. 74 E. 9 links dist &  
 a Do 10 " " " N. 58 E. 28 " "  
 15.80 A W. Oak 30 " "  
 35.80 Set a gr. Sec. post from which  
 a W. Oak 20 in. diam. bears N. 12 W. 12 links dist &  
 a Hickory 16 " " " N 87 W. 12 " "  
 63.90 A Hickory 24 " "  
 75.80 To Sec. Corner.

North Between Sec. 19 & 20  
 26.87 An R. Oak 28 in. diam.  
 40.00 Set a gr. Sec. post from which  
 an Ash 30 in. diam. bears N. 40 W. 10 links dist &  
 a W. Oak 22 " " " S. 13 W. 47 " "  
 54.50 Intersect the A & E line of Reserve in swamp  
 Prairie. where made Corner to Sec. 19 & 20 from which  
 a W. Oak 30 in. diam. bears S. 48 W. 50 links dist &  
 a Do 26 " " " S. 54 E. 35 " "  
 Land pror. Timber Oak Hickory & Birch

West From the Corner of Sec. 1 & 2 on the line of correction  
 measured West



# T 31 R 9 E 1<sup>st</sup> Mer. Iron woods.

115

80.00 On said line made Cor. to Sec. 2 & 3 from which  
an Ash 50 in. diam. bears N. 82 W. 17 links dist. &  
a Walnut, 50 in. " " N. 75 E. 11 " "  
This corner is 1.50 links West of the Post. for q. Sec.

South From the Cor. of Sec. 2 & 3 on the North Boundary  
Between Sec. 2 & 3

14.50 A W. Oak 30 in. diam.

35.27 Intersect the North Boundary of Chapines Reserve  
23.30 from the S.E. Corner of same where  
Set a Post cor. to Sec. 2 & 3 from which  
a Hickory 10 in. diam. bears N. 35 E. 19 links dist. &  
a W. Oak 12 " " " N. 75 W. 26 " "

West Along the North Boundary of Sec. 2 & 3

80.00 On said line made Corner to Sec. 3 & 4 1.50 links  
West of a q. Sec. corner from which  
a W. Oak 33 in. diam. bears S. 12 W. 16 links dist. &  
an Ironwood 6 " " " S. 54 E. 20 " "  
Thence

South Between Sec. 3 & 4

14.72 Intersect the line of Sinks Village Reserve 9.40  
from the S.E. Corner of same where made Cor.  
to Sec. 3 & 4 from which  
an Elm 11 in. diam. bears N. 40 W. 95 links dist. &  
a Q. 16 " " " N. 3 E. 1.39 " "  
In the North Margin of small Prairie

West Along the North Boundary from the Corner of  
Sections 3 & 4

80.00 On the North Boundary Set a Post Cor. to Sec. 4 & 5  
from which  
a Maple 12 in. diam. bears S. 16 E. 2 links dist. &  
an Elm 12 " " " N. 57 W. 14 " "  
This corner is 150 links West of a q. Section.

## T31 N. R 9 E Ind. Mer. Indian.

South Between Sec. 4 & 5 from the Corner on the North Boundary

18.30 An R. Oak 40 in. diam.

43.90 Intersect the line of Reserve, where set a Post Corner to Sec. 4 & 5 from which

a Hickory 28 in. diam. bears N 83° W 18 links dist. &  
an Ash 14 " " " " N 32° E 45 " "

Timber Oak & Hickory, Underg. Maple.  
Birch &c.

West Along the North Boundary from the cor. of Sec. 4 & 5

80.00 On this line made Cor. to Sec. 5 & 6 from which  
a W. Oak 45 in. diam. bears S 43° W 24 links dist. &  
a Co 15 " " " " S 45° E 77 " "

This Corner is 2 chains & 12 links West of a gr. Sec. Corner

South From the Corner of Sec. 5 & 6 On the North Boundary between Sec. 5 & 6

28.00 A W. Oak 45 in. diam.

73.59 Intersect the line of the Reserve, where set a Post Corner to Sec. 5 & 6 from which

a W. Oak 22 in. diam. bears N 62° E 54 links dist. &  
a Co 21 " " " " N 65° W 50 " "

Good poor inclining to Barrens

May 18<sup>th</sup> 1834

East Between Sec. 6 & 7

At Corner on the West Boundary. Set a Post Corner to Sec. 6 & 7 from which

a W. Oak 18 in. diam. bears S 28° E 26 links dist. &  
a Co 20 " " " " N 66° E 31 " "

Thence East to Line of Reserve

24.50 Intersect the line of Reserve in Mt. Prairie where made Cor. to Sec. 6 & 7 from which

a W. Oak 36 in. diam. bears S 50° W 255 links dist. &

T 31. N R. 9 E 2nd Mer. Indiana 117

a B. Oak 18 in. diam. bears S 18 E 206 links dist 6.

West Along the North Boundary from the Cor. of Sec. 5 & 6  
on said Boundary to the N.W. Corner of the Township  
77.93 To the S.W. Corner of Section 6.

North From the Corner of Sec. 6 & 7 on the Reserve line  
40.00  
East To the line between Sec. 5 & 6  
20.42 from the line of Reserve on line between Sec. 5 & 6  
Made up the Corner from which  
a W. Oak 20 in. diam. bears N. 16 E. 3. 69 links dist 8  
a Do 12 S. 88 E. 2. 96 . "

Surveyed by  
John Hendricks  
Dep. Surveyor.

T31 N R 9 E 2nd Mer. Indiana

I hereby certify that in pursuance of a Contract with Micajah T. Williams Surveyor General of the United States for the States of Ohio Indiana and the Territory of Michigan bearing date the 27<sup>th</sup> day of December 1833. and in good conformity to the laws of the United States and the instructions of said surveyor General. I have surveyed and subdivided into Sections. Townships No 31 North of Range No 9 East of the 2<sup>nd</sup> Mer. Indiana. (except the Indian Reservation in said Township) And I do further certify that the foregoing are the true and mainly the original field notes of the said survey and subdivisions. Executed as aforesaid.

Certified this 17<sup>th</sup> day of May 1834

John Hendricks  
Dep. Surveyor

William Lash }  
William Felton } Chainmen

A. J. Hendricks. Marker in part

I certify that the foregoing transcript of the field notes of Township No 31 North of Range No 9 E. of the 2<sup>nd</sup> Mer. in the State of Indiana, has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office,  
Cincinnati, April 25. 1845

William Johnston  
Supt. Genl.



The foregoing subdivisions of "S 31  
R 9", are in fact the notes of  
S 31 R 10 - placed here in mistake

Subdivisions of the Trac. Township 31, in Reservation  
 North Between Sec. 23 & 24  
 Beginning at the South Boundary of the Reserve in  
 Cook's Village  
 0. 50 Enter Mullen Swamp  
 18. 00 Leave the Swamp  
 25. 00 Enter wet Prairie  
 37. 00 Leave same  
 38. 10 Set a g. Sec. post from which  
 a W. Oak 22 in. diam. bears S. 18 E. 11 links dist. &  
 a Po 24 " " " N. 22 W. 12 " "  
 48. 50 To Ed. River Course S. West  
 51. 00 Over the River  
 57. 27 A Beech 14 in. diam.  
 78. 10 Set a Post cor. to Sec. 13. 14. 23 & 24 from which  
 (In edge of wet Prairie)  
 a W. Oak 18 in. diam. bears S. 75 E. 81 links dist. &  
 a Po 18 " " " N. 32 W. 89 " "  
 Land South of the River White Oak Barrens.  
 North " " " Beech. Timber

East On Random between Sec. 13 & 24  
 79. 74 Intersect the E. Boundary 1.63 links North of Post.  
 Land Rolling In a rate White Oak Barrens  
 Waste Undergr. th

West Corrected between Sec. 13 & 24  
 20. 07 A W. Oak 18 in. diam.  
 22. 00 Enter wet Prairie  
 34. 50 Leave same  
 37. 50 At Left Bank of Ed. River. S. W.  
 38. 75 Over the River  
 39. 87 Set a g. Sec. post from which  
 a Burr Oak 24 in. diam. bears N. 47 E. 25 links dist. &  
 a Maple 14 " " " S. 4 E. 15 " "  
 40. 00 Right Bank of Ed. River

T<sup>31</sup> S. R. 9 E. 3<sup>d</sup> Mer. Indiana

52 50 Leave River same side

60. 10 A W. Oak 12 in. diam.

72. 50 Enter Wet Prairie

79 74 To the Corner.

Jan<sup>y</sup> 14<sup>th</sup> 1840North Between Sec<sup>s</sup> 13 & 14

15. 00 Leave the Prairie

27. 59 An Ash 20 in. diam.

40. 00 Set a g. the post from which  
a Hickory 9 in. diam. bears S 4 E. 9 links dist &  
a Do 10 " " " N 43 E 12 " "

56. 60 A Hickory 20 " "

63. 50 Enter Willow Swamp.

67. 00 Leave the swamp

70. 00 Enter Wet Prairie

80. 00 Leave the Prairie and set a Post corner to  
Sec<sup>s</sup> 11. 12. 13 & 14 from which  
a W. Oak 18 in. diam. bears N 29 E 58 links dist &  
a Do 24 " " " N. 44 W. 74 " "Land Rolling 2<sup>d</sup> rate, thinly timbered with excell-  
ent W. Oak, some Hickory, Ash & Elm, W. G. Hoag.North Between Sec<sup>s</sup> 11 & 12

25. 32 A Red Oak 12 in. diam.

26. 00 Enter Wet Prairie

35. 50 Leave same.

40. 00 Set a g. the post from which  
a W. Oak 24 in. diam. bears N 86 E. 11 links dist &  
a Do 18 " " " S. 12 E. 9 " "11 54 Intersect N W. Boundary & set Post in same from which  
a Beech 20 in. diam. bears S 40 E. 16 links dist &  
an Elm 5 " " " S. 42 W. 14 " "Measured along - Boundary S 70 W 11 to the Post  
at the intersection after extending line of SectionsNorth Between Sec<sup>s</sup> 10 & 11

Beginning at the N.W. Boundary of the Reserve  
at Suck's Village

12 50 Set a Post cor. to Sec. 11 & 14 from which  
a Sugar 28 in. diam. bears N. 75 W. 14 links dist. &  
a Lynn 10 " " " N 50 E 37 " "  
Land Rolling & good.

East On Random between Sec. 11 & 14  
80 80 Intersect the N & S line at Post.  
Land West p. rolling 2nd rate. Timber. Beech  
Sugar Oak. Ash. &c. East p. rolling White Oak Barren.

West Corrected between Sec. 11 & 14  
13. 50 A Hickory 28 in. diam.  
28. 31 A W. Oak 48 " "  
40. 43 Set a q. Sec. post at aver. dist. from which  
a W. Oak 20 in. diam. bears S. 84 E. 53 links dist. &  
a Do 30 " " " S. 75 W. 20 " "  
61. 60 A Beech 12 " "  
70. 50 Blue Run (Thorn Creek 100 links wide. Co. & cutk.  
80 80 To Sec. Corner

South Between Sec. 14 & 15  
15. 00 A Stream 15 links wide. Course S. E.  
18. 81 A Beech 24 in. diam.  
28. 82 A Red Oak 18 " "  
40. 00 Set a q. Sec. post from which  
an Elm 8 in. diam. bears N. 57 E. 25 links dist. &  
a Beech 15 " " " N. 28 W. 31 " "  
45. 00 Thorn Creek 100 links wide. Course S. W.  
53 83 An Elm 18 in. diam.  
55. 00 Thorn Creek. Course S. E.  
63. 50 Same " " S. W.  
72. 86 A Beech 20 in. diam.  
80 00 Set a Post cor. to Sec. 14. 15. 22 & 23 from which  
a Beech 18 in. diam. bears N. 39 E. 15 links dist. &



T<sup>31</sup> N R Q E 2nd Mer. Indiana

a Beech 10 in. diam. bears S. 27 W. 23 links dist.  
Land rolling 2nd rate. Timber Beech. Oak. Ash  
Elm. Hickory. Gynn. Sugar. &c. Underg<sup>th</sup> Spice &c.

East On Random between Sec. 14 & 23

80 90 Intersect the N & S line 6 links North of the Post.  
Land Rolling 2nd rate. Timber. Beech. Sugar. Oak  
Ash. Elm. Gynn. &c. Underg<sup>th</sup> Spice. Maple. &c.

West Corrected between Sec. 14 & 23

17. 18 A Beech 12 in. diam.

32. 26 An Ironwood 5 " "

40 45 Set a gr. Sec. post at aver. dist. from which  
a W. Oak 18 in. diam. bears N 52 E 33 links dist. &  
a Os 20 " " " N. 25 W. 20 " "

49. 32 An Ironwood 6 in. diam.

66. 11 An Elm 12 " "

80. 90 To Sec. Corner

July 15<sup>th</sup> 1840

South Between Sec. 22 & 23

15. 05 A W. Oak 40 in. diam.

29. 16 An Elm 20 " "

40. 00 Set a gr. Sec. post from which  
a Red Oak 10 in. diam. bears S 37 W. 7 links dist. &  
a Thorn 12 " " " S 12 E 20 " "

57. 45 Intersect the S W. Boundary. Set Post in same  
from which a Beech 12 in. diam. bears N. 4 W. 8 links dist.  
and an Ash 20 " " " S 15 W. 28 " "  
Land Rolling 2nd rate. Timber. Beech. Elm. Oak  
Ash. Elm. Sugar. Hickory. Elm. Gynn. Elm. &c.  
Underg<sup>th</sup> Spice. &c.

West Between Sec. 23 & 26

16. 17 A W. Oak 15 in. diam.

18. 51 Enter West Prairie

123

T 31 N. R 9 E. 2nd Mer. Indiana.

28. 50 Leave the Prairie  
 35. 50 Set a q. Sec post from which  
 an Elm 10 in. diam. bears N. 42 E. 54 links dist &  
 a Do 18 " " " S 56 W 174 " "  
 58. 58 An Elm 18 " "  
 68. 52 Intersect the S. W. Boundary & Set Post in same  
 from which  
 a W. Oak 40 in. diam. bears S. 53 E. 23 links dist &  
 a Do 30 " " " N 39 W. 41 " "  
 Measured South along S. 20 E along the S. W.  
 Boundary, 23 29 to the S. W. Corner  
 Measured then N 20 E along the S. E Boundary  
 64. 29 ch. to the line of Sec. 23 & 26.

- East Between Sec. 10 & 15  
 Beginning at Post in the N. W. Boundary  
 6. 00 Leave the Swamp  
 10. 50 A Black Oak 14 in. diam.  
 19. 35 Intersect the N. & S. line 5. 53 North of the Post.  
 Set a Post between Sec. 10 & 15 from which  
 a Beech 28 in. diam. bears N. 50 E. 13 links dist &  
 a W. Oak 14 " " " S. 52 W. 21 " "  
 Measured from the line of Sec. 10 & 15 S 70 W.  
 along the N. W. Boundary 29. 57 lks to the West  
 Corner of the Reserve.  
 Measured then S. 60 W. along the N. W. Boundary  
 of Browns Reserve 36. 74 to the line of Sec. 9 & 10

- West Between Sec. 15 & 22  
 12. 97 A Spruce 16 in. diam.  
 13. 50 Thorn Creek 100 links wide. Course South  
 20. 30 Intersect the S. W. Boundary Set Post in same from which  
 a Walnut 6 in. diam. bears N. 4 E. 29 links dist &  
 a Cherry 5 " " " S. 75 E. 26 " "  
 Measured then N 20 W. along the S. W. Boundary of Reserve  
 80 35 ch. to the N. W. Cor. Jan. 16. 1840.

T 31. N. R 9 E 2nd Mer. Indiana

Surveyed by  
C. Carter. D. C.

In pursuance of a Contract with E. S. Harris Esq. Surveyor General of the United States for the States of Ohio, Indiana & Michigan, bearing date the 20<sup>th</sup> day of April, 1829, and in strict conformity to the laws of the United States, and the instructions of the ~~said~~ said Surveyor General, I have surveyed and subdivided into Sec. Fractional Township No 31 North of Range No 9 East of 2<sup>nd</sup> Mer. in the State of Indiana and I further Certify, that the foregoing are the true and original Field Notes of said subdivisions executed as aforesaid.

Certified this 16<sup>th</sup> day of Jan<sup>y</sup>. 1840.  
C. Carter. D. C.

I Certify that the foregoing transcript of the Field Notes of Tract Township No 31 North of Range No 9 East of the 2<sup>nd</sup> Mer. in India. and has been compared with the original Notes in this Office and found to be correct.  
Surveyor General's Office.  
Cincinnati

Sur<sup>t</sup> Genl.